



Coconut Development Authority

No. 54, Nawala Road, Colombo-05.



ISO/IEC 17025
TL 030-02

TEST REPORT

Recipient: Processing Development Division

Descriptions of the test item / Reference : Desiccated Coconut

As per the customer declaration

Reference No. : TPC-18/054

Date and time of sample received in the laboratory: 08.05.2018 at 09.30 a.m.

Test date/s : From: 17.05.2018 To: 20.05.2018

Parameter	Test method	Units	Results
Microbiological Tests			
Aerobic plate count *	SLS 516 Part 1/Section 1: 2013 (ISO 4833-2003 E)	Per g	1.6×10^3
Coliforms *	SLS 516 Part 3/Section 1: 2013 (ISO 4831 -2003 E)	MPN Per g	Absent
<i>E. coli</i> *	SLS 516 Part 12: 2013 (ISO 7251:2005 E)	MPN Per g	Absent

* ISO 17025:2005 accredited test covered under the scope of Sri Lanka Accreditation Board


Sample details: The sample was collected from the processing line.

Description of test item/s: --

Quantity: 150 g	Packaging: Sterilized glass bottle	Condition: Sealed
Comments : --		

This report refers specifically to the test item(s) submitted.

This report shall not be reproduced in total or in part without written approval from the Director (QC & QA).

Analyst: 

Authorized sig: 

Date: 22/05/2018

Ashoka Pushpakumara
Assistant Director
Quality Control & Quality Assurance